

LOAD DATA

Bullet Brand: Federal®
7MM Weight/Type: 160gr Trophy Bonded Tip®
 More reloading data can be found at federalpremium.com

7MM Remington Magnum 24" SAAMI chamber Universal Receiver test barrel

POWDER	OAL (IN)	PRIMER	BRASS	Starting Load		Max Load	
				CHARGE WT (GR)	VELOCITY (FT/SEC)	CHARGE WT (GR)	VELOCITY (FT/SEC)
Alliant Reloder® 26	3.280	Fed 215	Fed	63.5	2805	68.6*	3064
Alliant Reloder® 25	3.280	CCI 250	Rem	65.0	2842	69.0*	2998
Alliant Reloder® 19	3.280	CCI 250	Rem	59.9	2758	63.5	2898
Alliant Reloder® 22	3.280	CCI 250	Rem	58.5	2725	62.5	2865

7MM Winchester Short Magnum 24" SAAMI chamber Universal Receiver test barrel

POWDER	OAL (IN)	PRIMER	BRASS	Starting Load		Max Load	
				CHARGE WT (GR)	VELOCITY (FT/SEC)	CHARGE WT (GR)	VELOCITY (FT/SEC)
Alliant Reloder® 19	2.920	Fed 210	Win	64.0	2851	68.0*	3021
Alliant Reloder® 22	2.280	Fed 210	Win	64.0	2824	68.0*	3002

7MM-08 Remington 24" SAAMI chamber Universal Receiver test barrel

POWDER	OAL (IN)	PRIMER	BRASS	Starting Load		Max Load	
				CHARGE WT (GR)	VELOCITY (FT/SEC)	CHARGE WT (GR)	VELOCITY (FT/SEC)
Alliant Reloder® 17	2.765	Fed 210	Fed	41.0	2387	45.0*	2619
Alliant Reloder® 15	2.765	Fed 210	Fed	36.0	2305	40.0	2565

280 Remington 24" Ruger M77 Mkl

POWDER	OAL (IN)	PRIMER	BRASS	Starting Load		Max Load	
				CHARGE WT (GR)	VELOCITY (FT/SEC)	CHARGE WT (GR)	VELOCITY (FT/SEC)
Alliant Reloder® 22	3.260	CCI 200	Rem	55.0	2712	57.0*	2808
Alliant Reloder® 19	3.260	CCI 200	Rem	54.0	2688	56.0*	2789

7MM SWT 24" SAAMI chamber Universal Receiver test barrel

POWDER	OAL (IN)	PRIMER	BRASS	Starting Load		Max Load	
				CHARGE WT (GR)	VELOCITY (FT/SEC)	CHARGE WT (GR)	VELOCITY (FT/SEC)
Alliant Reloder® 33	3.550	Fed 215	Fed	80.9	2770	89.4*	3121
Alliant Reloder® 26	3.550	Fed 215	Fed	68.9	2755	76.4	3078
Alliant Reloder® 25	3.550	Fed 215	Fed	70.5	2722	77.5	3051
Alliant Reloder® 23	3.550	Fed 215	Fed	65.1	2713	71.1	3021
Alliant Reloder® 22	3.550	Fed 215	Fed	64.1	2747	70.9	3013

*Compressed